

MS
SYSTEM

MS SA Implant Narrow Ridge

Narrow Ridge

- Implant system for narrow ridge, such as anterior mandible
- SA surface characterized by superior osseointegration
- Optimized abutment shape and size for prosthesis without removal
- Recommended denture torque : 30Ncm or less



D ø2.0

G/H \ L	8.5	10	11.5	13
2.5	MSN2008S25	MSN2010S25	MSN2011S25	MSN2013S25
4.0	MSN2008S40	MSN2010S40	MSN2011S40	MSN2013S40

D ø2.5

G/H \ L	8.5	10	11.5	13
2.5	MSN2508S25	MSN2510S25	MSN2511S25	MSN2513S25
4.0	MSN2508S40	MSN2510S40	MSN2511S40	MSN2513S40

D ø3.0

G/H \ L	8.5	10	11.5	13
2.5	MSN3008S25	MSN3010S25	MSN3011S25	MSN3013S25
4.0	MSN3008S40	MSN3010S40	MSN3011S40	MSN3013S40

MS SA Implant Narrow Ridge Components

Impression Coping (Narrow Ridge)

- Designed for used in precision impression-taking



MSPIC

Temporary Cap

- Designed for use in temporary prosthesis



MSPTC

Lab Analog

- Incorporating the oral MS implant narrow ridge abutment into the working model



MSPLA

Burn-out Cylinder


- Used as a prosthetic framework by attaching into MS implant narrow ridge
- After prosthetic casting, the margin is adjusted with a special-purpose reamer

Type	Single	Bridge
		
	MSPBCS	MSPBCB

MS SA Implant Denture

Denture

- Implant system for edentulous patients with narrow ridge that cannot accommodate regular-diameter implants
- SA surface characterized by superior osseointegration
- Easy and convenient fabrication of dentures using retainer and lab analog
- Recommended denture torque : 30Ncm or less



D ø2.0

G/H \ L	8.5	10	11.5	13
				
2.0	MSD2008S20	MSD2010S20	MSD2011S20	MSD2013S20
4.0	MSD2008S40	MSD2010S40	MSD2011S40	MSD2013S40

D ø2.5

G/H \ L	8.5	10	11.5	13
				
2.0	MSD2508S20	MSD2510S20	MSD2511S20	MSD2513S20
4.0	MSD2508S40	MSD2510S40	MSD2511S40	MSD2513S40

D ø3.0

G/H \ L	8.5	10	11.5	13
				
2.0	MSD3008S20	MSD3010S20	MSD3011S20	MSD3013S20
4.0	MSD3008S40	MSD3010S40	MSD3011S40	MSD3013S40

MS SA Implant Denture Components

O-ring Retainer Cap Set

- Designed for use in the fabrication of stud type overdenture prosthesis
- Packing unit : Retainer cap + O-ring



RCS01

O-ring Set

- Packing unit : 5ea



OAON01S

O-ring Lab Analog (Denture)

- Incorporating the oral o-ring abutment into the working model




MSDLA

MS Implant Provisional

Provisional

- Implant system for completely or partially edentulous patients who require an immediate, temporary prosthesis
- Specially designed neck for providing path compensation and maintaining strength
- Facilitating easy fabrication of temporary prosthesis with provisional cap and lab analog
- One-time bending up to 30°
- Recommended denture torque : 30Ncm or less



D ø1.8

L	10	13	15
			
	MST**18104**	MST**18134**	MST**18154**

D ø2.5

L	10	13	15
			
	MST**25104**	MST**25134**	MST**25154**

MS Implant Provisional Components

Provisional Cap

- Designed for use in fabrication of temporary prosthesis (titanium)



MSTPC

Lab Analog

- Incorporating the oral MS implant provisional abutment into working model



MSTLA